

REFERENCES

- [1] Boulgouris, N. V., Plataniotis, K. N., & Micheli-Tzanakou, E. (2020). A Comparative Survey on Biometric Identity Authentication Techniques Based on Neural Networks. In *Biometrics: Theory, Methods, and Applications* (pp. 47-79). IEEE.
- [2] Kunal Kumar, M. F. (2016). A Review Of Multimodal Biometric Authentication Systems. *International Journal of Scientific & Technology Research*, 5(12).
- [3] Mastali, N. (2010). Authentication of subjects and devices using biometrics and identity management systems for perdevices using biometrics and identity management systems for persuasive mobile computing: A survey paper. *Proceedings of the 5th International Conference on Broadband and Biomedical Communications*, 1-6.
- [4] Patel, N., & Kale, A. (2018). Optimize Approach to Voice Recognition Using IoT. In *Proceedings of the 2018 International Conference on Advances in Communication and Computing Technology (ICACCT)*, 251–256.
- [5] Singh, G., Singh, R. K., Saha, R., & Agarwal, N. (2020). IWT Based Iris Recognition for Image Authentication. *Procedia Computer Science*, 171, 1868 - 1876.
- [6] Kortli, Y., Jridi, M., Falou, & Atri, M. (n.d.). *Face Recognition Systems: A Survey*. *Sensors*, 20, 1-34.
- [7] V.Vanitha Carmel, D. (2020). A SURVEY ON BIOMETRIC AUTHENTICATION SYSTEMS IN CLOUD TO COMBAT IDENTITY THEFT. *Journal of critical reviews*, 7(3), 1-8.
- [8] Srinivasan, P. P. (2016). A survey on biometric based authentication in cloud computing. in *Proc. Int. Conf. Inventive Comput. Technol. (ICICT)*, 1, 1-5.
- [9] Mahfouz, A., M. Mahmoud, T., & Sharaf Eldin, A. (2017). A survey on behavioral biometric authentication on smartphones. *Journal of Information Security and Applications*, 37, 28-37.
- [10] Meng, W., Wong, D. S., Furnell, S., & Zhou, J. (2015). Surveying the development of biometric user authentication on mobile phones. *IEEE Community Surveys Tuts*, 17(3), 1268–1293.
- [11] Zabidi, N. S., Norowi, N. M., & Rahmat, R. W. (2018). A Survey of User Preferences on Biometric Authentication for Smartphones. *International Journal of Engineering & Technology*, 7, 491-495.
- [12] Chakraborty, A., Pathan, S., Kabir, M., & Thakur, K. (2019). Fingerprint Authentication Security: An Improved 2-Step Authentication Method with Flexibility. *International Journal of Scientific and Engineering Research*, 10, 438-442.
- [13] Xu, Y., Price, T., Frahm, J.-M., & Monrose, F. (2016). Virtual U: Defeating Face Liveness Detection by Building Virtual Models from Your Public Photos. *USENIX*, 497-512.
- [14] Jain, R., & Kant, C. (2015). Attacks on Biometric Systems: An Overview. *International Journal of Advances in Scientific Research*, 1(7), 283.
- [15] Arora, S. B. (2020). Presentation attack detection for iris recognition using deep learning. *International Journal of System Assurance Engineering and Management*, 11, 232–238.
- [16] Hadi Abdullah, W. G. (2019). Practical Hidden Voice Attacks against Speech and Speaker Recognition Systems. *Network and Distributed Systems Security (NDSS)*, 24-27.
- [17] Arsalan Mosenia, S. S.-K. (2017). CABA: Continuous Authentication Based on BioAura. *IEEE Transactions on Computers*, 66(5), 759-772.
- [18] Pin Shen Teh, A. B. (2013). A Survey of Keystroke Dynamics Biometrics. *The Scientific World Journal*, 24.

- [19] Singh, S., & S.V.A.V.Prasad. (2018). Techniques and Challenges of Face Recognition: A Critical Review. *Procedia Computer Science*, 143, 536-543.
- [20] N. Erdogmus, S. M. (2014). Spoofing face recognition with 3D masks. *IEEE Trans. Inf. Forensics Secur*, 9(7), 1084–1097.
- [21] Zhao, W., R. C., J. P., & A. R. (2003, December). Face Recognition: A Literature Survey. *ACM Computing Surveys*, 35(4), 399-458.
- [22] Komulainen, J., Hadid, A., & Pietikainen, M. (2013, September). Context based Face Anti-Spoofing. *IEEE 6th International Conference on Biometrics: Theory, Applications and Systems*, 1-8. doi:10.1109/BTAS.2013.6712690
- [23] Rogmann, N., & M. K. (2015). Liveness Detection in Biometrics. *International Conference of the Biometrics Special Interest Group (BIOSIG)*, 1-14.
- [24] Maatta, J., Hadid, A., & Pietikainen, M. (2011). Face Spoofing Detection From Single Images Using Micro-Texture Analysis. *International Joint Conference on Biometrics (IJCB)*, 1-7. doi:10.1109/ijcb.2011.6117510
- [25] Tang, D., Zhou, Z., Zhang, Y., & Zhang, K. (2018, Aug 22). Face Flashing: a Secure Liveness Detection Protocol based on Light Reflections. *Network and Distributed Systems Security (NDSS) symposium 2018*.
- [26] Saad, A. M. (2015). Anti-Spoofing Using Challenge-Response User Interaction. *AMERICAN UNIVERSITY IN CAIRO SCHOOL OF SCIENCES AND ENGINEERING*, 1-72.
- [27] Alom, M., M. Taha, T., Yakopcic, C., Westberg, S., Sidike, P., Nasrin, M., . . . Vijayan K. Asari. (2019, March 5). A State-of-the-Art Survey on Deep Learning Theory and Architectures. *Electronics*, 8(3), 1-66. doi:10.3390
- [28] Wencheng Yang, J. H. (2014). A Delaunay Quadrangle-Based Fingerprint Authentication System With Template Protection Using Topology Code for Local Registration and Security Enhancement. *IEEE TRANSACTIONS ON INFORMATION FORENSICS AND SECURITY*, 9(7).
- [29] Pavešić, N., Savic, T., Ribaric, S., & Fratric, I. (2007). A multimodal hand-based verification system with an aliveness-detection module. *Annals of Telecommunications*, 62(1), 1655-1680.
- [30] Khanban, A., & Edalat, A. (2003). Computing Delaunay Triangulation with Imprecise Input Data. *CCCG*, 94-97.
- [31] Li, S., & Kot, A. C. (2013). Fingerprint Combination for Privacy Protection. *IEEE Transactions on Information Forensics and Security*, 8(2), 350-360.
- [32] Zargari Khuzani, A., Mashhadi, N., Heidari, M., & Khaledyan, D. (2020). An approach to human iris recognition using quantitative analysis of image features and machine learning. *ArXiv*, 1-6.
- [33] Bodade, R., & Talbar, S. (2009). Dynamic iris localisation: A novel approach suitable for fake iris detection. *International Conference on Ultra Modern Telecommunications & Workshops*, 1-5.
- [34] Ali, A. A., El-Hafeez, T. A., & Mohany, Y. K. (2019). An Accurate System for Face Detection and Recognition. *Journal of Advances in Mathematics and Computer Science*, 1-19.
- [35] Yang, W., Wang, S., Hu, J., Zheng, G., & Valli, C. (2018). A fingerprint and finger-vein based cancelable multibiometric system. *Pattern Recognition*, 78, 242–251.
- [36] Yang, S., Luo, P., Loy, C. C., & Tang, X. (2016). Wider face: A face detection benchmark. *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*.

- [37] Neela Ashish, K., P. S., Prudhvi, C., Jai Krishna, N., & Kailasa Sandeep, K. (2019). Smart Attendance Marking System using Facial Recognition. *Research Journal of Science and Technology*, 11(2), 101-108.
- [38] Ali, A. A., El-Hafeez, T. A., & Mohany, Y. K. (2019). A Robust and Efficient System to Detect Human Faces Based on Facial Features. *Asian Journal of Research in Computer Science*, 1-12.
- [39] Chu, C.-H., & Feng, Y.-K. (2018). Study of Eye Blinking to Improve Face Recognition for Screen Unlock on Mobile Devices. *J Electr Eng Technol*, 13(2), 953-960.
- [40] K. Arutselvan, Sridhathan. C, & M. Senthil Kumar. (2018, Number 24). Unlocking Mobile Devices using Improved Face Recognition and Eye Blinking Technique. *International Journal of Applied Engineering Research*, 13(24), 16907-16909.
- [41] R. G. M. M. Jayamaha, M. R. (2008). VoizLock - Human Voice Authentication System using Hidden Markov Model. 2008 4th International Conference on Information and Automation for Sustainability, 330-335.
- [42] J. Galka, M. M. (2014). Voice authentication embedded solution for secured access control. *IEEE Transactions on Consumer Electronics*, 60(4), 653–661.
- [43] Zhao, Z. Y. (2016). A usable authentication system based on personal voice challenge. *Advanced Cloud and Big Data (CBD)*, 194–199.
- [44] Meng, W., Wong, D., Furnell, S., & Zhou, J. (2015). Surveying the development of biometric user authentication on mobile phones. *IEEE Commun. Surveys Tuts.*, 1268–1293.
- [45] Bhatt, H. S., Bharadwaj, S., Singh, R., & Vatsa, M. (2013). Recognizing surgically altered face images using multiobjective evolutionary algorithm. *IEEE Trans. Inf. Forensics Security*, 89–100.
- [46] Proov, A. (2018). Facing the future: The impact of Apple FaceID. *Biometric Technol. Today*, 5–7.
- [47] Abellanas, M., Hurtado, F., & Ramos, P. (1999). Structural tolerance and delaunay triangulation. *Inf. Process. Lett.*, 221–227.
- [48] Pishva, D. (2007). Spectroscopic approach for aliveness detection in biometrics authentication. 41st Annu. IEEE Int. Carnahan Conf. Secur. Technol., 133–137.
- [49] Jayamaha, R., Senadheera, M., Gamage, T., & Weerasekara, K. (2008). Voizlock—Human voice authentication system using hidden Markov model. 4th Int. Conf. Inf. Automat. Sustainability, 330–335.
- [50] Pillai, J., Patel, V., Chellappa, R., & Ratha, N. (2011). Secure and robust iris recognition using random projections and sparse representations. *IEEE Trans. Pattern Anal. Mach. Intell.*, 1877–1893.
- [51] Galab, M. K. (2014). Adaptive real time eye-blink detection system. *Int. J. Comput. Appl*, 29–36.
- [52] Batista, J. (2007). A drowsiness and point of attention monitoring system for driver vigilance. *Intelligent Transportation Syst. Conference(ITSC)*.
- [53] Amna , R., Mehreen, S., & Khan, A. (2015). Real Time Drowsiness Detection using Eye Blink. *National Software Engineering Conference*.
- [54] Mohammed, A. A. (2014). Efficient eye blink detection method for disabled helping domain. *Int. Adv. Comput. Sci. Appl*, 5, 202–206.
- [55] S. Marcel, M. S. Nixon and S. Z. Li, *Handbook of Biometric Anti-Spoofing*, London: Springer London, 2014.

- [56] Saied, M., Elshenawy, A. & Ezz, M.M. A Novel Approach for Improving Dynamic Biometric Authentication and Verification of Human Using Eye Blinking Movement. *Wireless Pers Commun* 115, 859–876 (2020). <https://doi.org/10.1007/s11277-020-07601-x>